



LIST OF REFERENCES CITED BY APPLICANT  
(Use several sheets if necessary)ATTY DOCKET NO.  
TUV-005.01APPLICATION NO  
09/690,647

APPLICANT

Greenberg, A.S.

FILING DATE

October 17, 2000

GROUP

1635

## U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
JDS	EG	5,534,426	7/9/96	Karin et al.			
	EH	5,593,884	1/14/97	Karin et al.			
	EI	5,804,399	9/8/98	Karin et al.			
	EJ	5,837,244	11/17/98	Karin et al.			
	EK	5,994,513	11/30/99	Karin et al.			
	EL	6,001,584	12/14/99	Karin et al.			
	EM	6,193,965	2/27/01	Karin et al.			
	EN	6,342,595	1/29/02	Karin et al.			
	EO	6,514,745	2/4/03	Karin et al.			

## FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION
							YES NO

## OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

JDS	EP	Aguirre et al. The c-Jun NH(2)-terminal kinase promotes insulin resistance during association with insulin receptor substrate-1 and phosphorylation of Ser(307). J Biol Chem. 2000 Mar 24;275(12):9047-54
	EQ	del Aguila et al. TNF-alpha impairs insulin signaling and insulin stimulation of glucose uptake in C2C12 muscle cells. Am J Physiol. 1999 May;276(5 Pt 1):E849-55
	ER	Hotamisligil et al. Mechanisms of TNF-alpha-induced insulin resistance. Exp Clin Endocrinol Diabetes. 1999;107(2):119-25. Review
	ES	Le Marchand-Brustel, Y. Molecular mechanisms of insulin action in normal and insulin-resistant states. Exp Clin Endocrinol Diabetes. 1999;107(2):126-32. Review
	ET	Liu et al. Tumor necrosis factor-alpha acutely inhibits insulin signaling in human adipocytes: implication of the p80 tumor necrosis factor receptor. Diabetes. 1998 Apr;47(4):515-22
	EU	Shin et al. An inhibitor of c-jun aminoterminal kinase (SP600125) represses c-Jun activation, DNA-binding and PMA-inducible 92-kDa type IV collagenase expression. Biochim Biophys Acta. 2002 May 8;1589(3):311-6
	EV	Spiegelman et al. Regulation of adipocyte gene expression in differentiation and syndromes of obesity/diabetes. J Biol Chem. 1993 Apr 5;268(10):6823-6. Review
	EW	Valverde et al. Tumor necrosis factor-alpha causes insulin receptor substrate-2-mediated insulin resistance and inhibits insulin-induced adipogenesis in fetal brown adipocytes. Endocrinology. 1998 Mar;139(3):1229-38

EXAMINER	JDS	DATE CONSIDERED	11-1-03
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			

